

ABA 11/12 Site Stack Average Quality Data

Wheat

Site	Grade	Test Weight	Protein	Moisture	Screenings
COOLAMON	AGP1	76.60	10.43	10.97	2.87
COOLAMON	AH9	74.20	12.37	10.76	3.84
COOLAMON	APH2	78.66	13.83	11.51	2.18
COOLAMON	APW1	78.92	10.90	10.82	2.26
COOLAMON	ASW1	79.60	9.39	10.95	2.09
COOLAMON	AUH2	76.06	12.60	10.75	4.32
COOLAMON	FED1	76.02	10.10	10.88	3.19
COOLAMON	H2	78.96	12.26	10.91	2.41
DONALD	AGP1	77.74	9.72	11.10	2.68
DONALD	APW1	82.98	10.89	9.97	1.88
DONALD	ASW1	83.24	9.61	9.76	1.95
DONALD	H2	82.13	11.73	9.96	1.76
EDENHOPE	APW1	83.02	10.83	10.17	1.68
EDENHOPE	ASW1	82.94	9.52	10.85	1.54
ELMORE	AGP1	78.04	10.64	10.57	5.00
ELMORE	APW1	79.83	10.84	10.63	1.98
ELMORE	ASW1	79.59	9.43	10.58	1.90
ELMORE	FED1	77.79	10.90	10.40	5.99
ELMORE	H2	79.19	11.91	10.50	2.37
GOOLGOWI	AGP1	79.32	11.43	10.46	4.94
GOOLGOWI	APH2	81.45	13.64	10.21	1.72
GOOLGOWI	APW1	82.39	10.95	10.38	1.39
GOOLGOWI	ASW1	82.11	9.55	10.45	1.33
GOOLGOWI	H2	82.04	12.21	10.27	1.49
NHILL	AGP1	79.24	11.33	10.44	2.95
NHILL	APW1	80.30	10.91	10.38	2.21
NHILL	ASW1	80.19	9.82	10.69	2.18
NHILL	H1	81.11	13.67	10.17	1.84
NHILL	H2	80.62	12.06	10.42	2.30
NULLAWIL	APW1	78.88	10.92	9.82	2.17
NULLAWIL	ASW1	78.09	9.63	9.93	2.75
NULLAWIL	H2	79.48	11.87	9.64	1.91
TARAGORO	AGP1	81.58	10.96	11.14	2.12
TARAGORO	APW1	80.60	11.30	11.15	2.22
TARAGORO	ASW1	80.62	9.70	11.18	2.31
TARAGORO	H2	80.39	11.98	11.12	2.04
TATYOON NORTH	AGP1	77.61	9.76	10.85	4.92
TATYOON NORTH	APW1	80.56	11.00	10.26	2.85
TATYOON NORTH	APW2	80.52	10.17	9.90	2.99
TATYOON NORTH	ASW1	80.10	9.42	10.55	2.92
TATYOON NORTH	ASWG	78.93	10.13	10.30	3.39
TATYOON NORTH	AUH2	77.54	12.17	11.11	6.48
TATYOON NORTH	H1	80.09	13.77	10.98	1.56
TATYOON NORTH	H2	80.03	11.95	10.56	2.85
TATYOON NORTH	HPS1	76.20	13.09	10.77	14.67
TATYOON NORTH	SFW1	77.01	9.24	10.42	3.78
THE ROCK	AGP1	76.18	10.13	10.96	2.68
THE ROCK	APH2	77.40	14.21	10.98	2.07
THE ROCK	APW1	78.10	10.85	10.85	2.02

Note: These results are indicative only and ABA does not guarantee that any assessment of outturn quality will match these results

ABA 11/12 Site Stack Average Quality Data

THE ROCK	ASW1	78.24	9.52	10.85	1.80
THE ROCK	AUH2	75.53	12.22	10.94	3.47
THE ROCK	FED1	75.42	10.59	10.93	2.88
THE ROCK	H2	77.81	12.09	10.95	2.17
TOCUMWAL	AGP1	74.92	10.66	10.82	3.75
TOCUMWAL	APW1	79.11	10.95	10.30	1.98
TOCUMWAL	ASW1	78.92	9.76	10.25	1.94
TOCUMWAL	AUH2	76.07	12.51	10.24	5.35
TOCUMWAL	H1	78.87	13.51	10.23	2.13
TOCUMWAL	H2	79.36	12.13	10.39	2.12
WERNETH	APW1	81.16	11.16	10.77	2.50
WERNETH	APW2	81.28	10.16	10.34	2.49
WERNETH	ASW1	80.62	9.39	10.75	2.48
WERNETH	ASWG	79.96	10.66	11.43	2.08
WERNETH	FED1	74.23	9.62	11.14	8.29
WERNETH	FEDG	78.04	10.42	10.70	3.34
WERNETH	SFW1	77.31	8.86	10.55	3.31
WOORINEN	APW1	81.53	10.88	10.55	1.51
WOORINEN	ASW1	81.46	9.57	10.30	1.78
WOORINEN	H2	80.74	11.97	10.59	1.65

Canola

Site	Grade	Test Weight	Oil As is	Impurities
COOLAMON	CANO	66.38	43.94	0.76
DONALD	CANH	67.58	42.30	1.03
DONALD	CANO	67.34	42.41	0.78
EDENHOPE	CANG	67.45	42.94	1.82
EDENHOPE	CANO	66.42	45.15	1.18
ELMORE	CANO	66.89	43.48	0.80
NULLAWIL	CANO	66.41	42.98	1.13
TATYOON NORTH	CANG	65.64	46.13	0.83
TATYOON NORTH	CANO	65.36	45.15	0.88
THE ROCK	CANO	65.57	44.73	1.02
TOCUMWAL	CANO	66.52	42.60	1.28

Note: These results are indicative only and ABA does not guarantee that any assessment of outturn quality will match these results

ABA 11/12 Site Stack Average Quality Data

Barley

Site	Grade	Test Weight	Protein	Screenings	Retention
COOLAMON	F1	65.78	9.78	3.81	84.56
DONALD	F1	69.03	10.37	3.38	86.27
DONALD	GA1	69.91	10.25	3.10	87.00
DONALD	GALP	69.68	8.63	2.36	90.04
DONALD	HIND	70.25	10.50	1.84	92.60
EDENHOPE	F1	67.40	12.40	9.41	57.59
EDENHOPE	GA1	68.34	10.06	4.67	82.13
EDENHOPE	GMIN	67.66	9.99	6.68	75.94
ELMORE	F1	67.10	9.14	3.07	88.33
ELMORE	F2	77.05	10.40	10.51	26.04
ELMORE	GA1	66.96	9.78	2.86	90.97
ELMORE	GALP	67.78	8.75	2.34	92.59
GOOLGOWI	F1	69.11	9.65	1.94	92.33
GOOLGOWI	SC1	69.26	10.43	1.82	92.05
NHILL	CO1	66.43	9.94	3.14	89.92
NHILL	F1	67.06	11.16	2.37	88.75
NHILL	F2	61.37	11.52	6.20	77.63
NHILL	GA1	67.42	9.82	3.04	86.28
NHILL	HIND	68.11	10.16	1.57	93.50
NHILL	SC1	68.32	10.44	1.93	88.28
NULLAWIL	F1	65.93	10.49	2.26	90.89
NULLAWIL	GA1	67.80	10.32	2.58	87.33
NULLAWIL	HIND	67.46	10.58	1.61	94.62
NULLAWIL	SC1	66.68	10.97	2.35	91.80
NULLAWIL	SL1	67.15	10.85	1.60	94.24
TARAGORO	F1	64.87	10.05	4.14	77.49
TARAGORO	F2	62.20	8.54	8.40	75.72
TATYOON NORTH	CO1	67.05	10.44	2.69	92.34
TATYOON NORTH	F1	66.81	10.12	5.16	81.36
TATYOON NORTH	F2	62.97	10.54	15.63	55.14
TATYOON NORTH	F3	60.44	10.12	22.34	41.62
TATYOON NORTH	GA1	67.69	9.99	3.55	86.61
TATYOON NORTH	WEST	68.82	10.20	2.10	93.24
THE ROCK	BU1	67.74	10.14	2.30	91.81
THE ROCK	F1	67.46	10.09	1.82	91.05
THE ROCK	F2	61.36	10.09	2.26	90.52
TOCUMWAL	F1	67.35	11.12	3.45	87.07
TOCUMWAL	F2	62.40	14.50	14.97	80.13
WERNETH	F1	67.54	9.44	6.75	73.08
WERNETH	GA1	68.45	9.84	3.68	85.96
WERNETH	WEST	69.14	9.88	1.65	94.06
WOORINEN	F1	67.80	9.61	2.10	91.54
WOORINEN	HIND	68.25	10.17	2.00	91.15
WOORINEN	SL1	68.20	9.20	1.64	94.43

Note: These results are indicative only and ABA does not guarantee that any assessment of outturn quality will match these results